



OPUS Sp. z o. o.
ul. Toruńska 8, 44-122 Gliwice

+48 32 420 11 11
kontakt@opus.pl
opus.pl

Office laminator

Laminator - OPUS uniLAM A3

Catalogue number: 400225

Office laminator up to A3 format.

Parameters

Brand	OPUS
Maximum laminating format	A3
Maximum laminating speed	300 mm/min
Maximum foil thickness	175 µm
Maximum document thickness (including film)	0.5 mm
Warm-up time	3 min
Temperature range	0-150°C

Description



uniLAM A3


Office laminator up to A3 format. Unique design, short preheat time 3 to 5 minutes. The newest 4 hot roller technology, no need for laminating carrier. Programmed with three laminating modes for pouches: 80 µm, 100/125 µm and 175 µm.

Parameters

Brand	OPUS
Maximum laminating format	A3
Maximum laminating speed	300 mm/min
Maximum foil thickness	175 µm
Maximum document thickness (including film)	0.5 mm
Warm-up time	3 min
Temperature range	0-150°C
Speed quantity	1
Rollers quantity	4
Type of rollers	common
Heating system	hot rollers + heating plate
Power	500 W
Cold lamination	yes
Sound signals	no
Light signals	yes
Microprocessor-controlled device	no
Tryb "Standby" ⓘ	no
Reverse	yes
Net weight	3,75 kg
Gross weight	4 kg
Height	100 mm
Width	470 mm
Depth	170 mm
Device warranty	2 years
For the format	Up to A3 format
Laminator feature	Hot lamination, Cold lamination

Gallery





Find a product on:

<https://en.opus.pl/laminator-opus-unilam-a3>