



OPUS Sp. z o. o.
ul. Toruńska 8, 44-122 Gliwice

+48 32 420 11 11
kontakt@opus.pl
opus.pl

Hot print stamping equipment

Hot print stamping equipment - OPUS Goldpress 5

Catalogue number: 807369

Easy to use Goldpress 5 is perfect for hot print stamping and embossing for small or larger text and logos, for all types of covers.

Parameters

Gildin type	matrix
Brand	OPUS
Maximum matrix size	100 x 200 mm
Temperature regulation range	20 - 150°C
Maximum cover width (without side limiter)	305 mm
Maximum width of the cover (with side limiter)	265 mm
Maximum pressure	2000 N

Description



OPUS Goldpress 5

Easy to use Goldpress 5 is perfect for hot print stamping and embossing for small or larger text and logos, for all types of covers: hard, soft, plastic, leather, textured surfaces. The Goldpress 5 gives you a 100 x 200 mm surface to hot print stamp on. Now you can hot print stamp on the whole length of the covered channels from the METALBIND System through the openings on each side, letting you move the channel to any position. With the GOLDCHANNEL base set* you can also hot print stamp on spines of C-BIND System.



*set sold separately




Parameters

Gildin type	matrix
Brand	OPUS
Maximum matrix size	100 x 200 mm
Temperature regulation range	20 - 150°C
Maximum cover width (without side limiter)	305 mm
Maximum width of the cover (with side limiter)	265 mm
Maximum pressure	2000 N
Force pressing adjustment	no
LCD display	yes
Stamps couter	yes
Automatic film rewinding	no
Power supply	220 - 240 V, 50 / 60 Hz
Rated power	600 W
Net weight	28,60 kg
Gross weight	30,50 kg
Height	280 mm
Width	362 mm
Denth	548 mm

Depth	345 mm
Device warranty	2 years

Gallery



Find a product on:

<https://en.opus.pl/hot-print-stamping-equipment-opus-goldpress-5>