OPUS Sp. z o. o.
ul. Toruńska 8, 44-122 Gliwice

+48 32 420 11 11
kontakt@opus.pl
opus.pl

Office laminator

# Laminator - OPUS uniLAM A4 Basic

Catalogue number: 400348

Office laminator up to A4 format.



## Description




**UNILAM A4 BASIC - FUNCTIONAL LAMINATOR FOR A4**

Lamination is a great way to **protect your documents from forgery, dust, stains and any damage** that could damage your documentation due to transportation, improper storage, everyday use or the passage of time. It is also a perfect **protection of the appearance of the paper** - laminating the sheet **prevents it from creasing or yellowing**, and also allows you to quickly **remove impurities from the foil**. Thanks to the **UniLAM A4 Basic**

laminator, you can easily achieve such an effect!




#### OFFICE AND HOME LAMINATOR


**UniLAM A4 Basic** is an extremely easy-to-use laminator with which you can laminate **A4** and smaller documents. The device offers **two lamination modes: cold and hot**. It uses **modern technology of heated rollers** and **working temperature** reaches **3 minutes**, thanks to which you can laminate many documents quickly and effectively. **Minimalistic design** and **small dimensions** of the laminator are its other advantages - UniLAM A4 Basic will certainly find its place in any **office** or **home**. Now you can easily secure important **invoices, receipts** and other **documents**, prepare all kinds of **leaflets, information signs** or **business cards**.




#### COLD AND HOT LAMINATION

The laminator laminates documents with **speed 230 mm/minute** and can work in two modes:

- **Hot lamination**: suitable for most documents, such as photos, information signs, office documents, etc. The laminator's heated rollers will activate the adhesive contained in the foil and secure your document with precision.
- **Cold lamination**: it will work primarily in the case of documents covered with ink that is not resistant to high temperatures. You don't have to wait for the device to reach the right operating temperature - the foil will stick to the paper only by pressing the laminator rollers.



**LAMINATION USING DIFFERENT FOILS**

The UniLAM A4 Basic Laminator supports **cold and hot laminating pouches in A4** and smaller. **Thickness** of laminating foils is **from 100 to 160 µm**. **format markers** visible on the front of the device will help you in the correct insertion of the foil into the laminating slot - thanks to the even arrangement of the foil, the document will be laminated **evenly, precisely and aesthetically**.




**ABS ANTI-BLOCKING SYSTEM - EFFICIENT MATERIAL REMOVAL**


The laminator is equipped with a function that allows you to unblock the material jammed during lamination. On the back of the housing you will find a switch with which you can easily **revoke a locked document**.



**IDEAL FOR THE OFFICE AND HOME**

Thanks to **compact dimensions, simple and intuitive operation** and **universality** the laminator will certainly be used in your office or home. The protective film will effectively protect valuable **documentation, information signs** or other sheets of paper that could be damaged, stained or destroyed in any way.






**ADVANTAGES OF USING THE UNILAM A4 BASIC LAMINATOR**

- easy to use device
- cold and hot lamination
- protection of documents against moisture, dust, dirt
- 100 – 160 µm film support
- lamination speed: 230 mm/minute
- quick readiness
- prevention of document forgery
- aesthetic appearance of documents
- much lower cost of lamination compared to outsource to the company
- increase color durability on paper




**LAMINATE PAPER - GET FLAWLESS DOCUMENTS**

Paper lamination will allow you to **an aesthetic and durable way to protect documents** against dirt or creases. **Make the look and durability of your documents your business card!**

## Parameters

| | |
|---|---|
| Brand | OPUS |

| | |
|---|---|
| Maximum laminating format | A4 |
| Maximum laminating speed | 230 mm/min |
| Maximum foil thickness | 160 µm |
| Maximum document thickess (including film) | 0.5 mm |
| Warm-up time | 3 min |
| Temperature range | 100-140 °C |
| Speed quantity | 1 |
| Rollers quantity | 2 |
| Type of rollers | common |
| Heating system | hot rollers + heating plate |
| Power | 250 W |
| Cold lamination | yes |
| Sound signals | no |
| Light signals | yes |
| Microprocessor-controlled device | no |
| Tryb "Standby" ⓘ | no |
| Reverse | no |
| Net weight | 1.19 kg |
| Gross weight | 1.69 kg |
| Height | 66 mm |
| Width | 358 mm |
| Depth | 120 mm |
| Device warranty | 2 years |
| For the format | Up to A4 format |
| Laminator feature | Hot lamination, Cold lamination |
| Responsible manufacturer | **OPUS Sp. z o. o.**<br>Polska<br>44-122 Gliwice<br>Toruńska 8<br>info |

## Gallery









Find a product on:

https://en.opus.pl/laminator-opus-unilam-a4-basic