



OPUS Sp. z o. o.
ul. Toruńska 8, 44-122 Gliwice

+48 32 420 11 11
kontakt@opus.pl
opus.pl

Office laminator

Laminator - OPUS AutoLAM A3

Catalogue number: 400362

Office laminator up to A3 format.



Description



AUTOLAM A3 – EFFECTIVE DOCUMENT PROTECTION

Lamination is a great way to **protect documents against dust, stains and any damage** that could harm the documentation as a result of transport, improper storage, everyday use or simply the passage of time. It also perfectly **protects** the appearance of the paper - laminating the sheet prevents it from **creasing or yellowing**, and allows you to quickly remove any contamination from the foil. Thanks to the AutoLAM A3 laminator, you

will be able to enjoy the aesthetics and safety of your documents!

PERFECT LAMINATOR FOR THE OFFICE

AutoLAM A3 is a **functional** and **easy-to-use** office laminator that will allow you to quickly laminate documents up to **A3 format**. The device uses "**heated rollers**" technology and is equipped with **6 rollers** that evenly press the foil and smooth it perfectly. AutoLAM A3 offers two operating modes: **manual** and **automatic**. In manual mode, there are **6 pre-programmed lamination modes**, and in automatic mode, the device automatically selects the parameters depending on the thickness of the foil used. With this model you can laminate both **hot** and **cold**.



AUTOMATIC DETECTION OF FILM THICKNESS

The laminator can operate in **automatic mode**. After setting the **AUTO SENSE** function, the device will detect the thickness of the laminated material and **adjust the appropriate parameters**. If an error occurs during lamination, the user will be informed and the laminate will be **automatically withdrawn**.

HOT AND COLD LAMINATION

With the AutoLAM A3 laminator, you can laminate documents in two ways:

- **Hot lamination:** this is the right choice for most documents, such as photos, information signs, office documentation, etc. The heated laminator rollers activate the glue contained in the foil and precisely protect your document.



- **Cold lamination:** works primarily for documents covered with paint that is not resistant to high temperatures.



READY FOR WORK IMMEDIATELY AFTER SWITCHING ON

Unlike many laminators available on the market, **AutoLAM A3** is ready to work almost **immediately** after turning on. To laminate a document, simply turn on the device and select manual or automatic mode, in which the device will automatically detect the foil thickness and select the parameters. In **manual mode**, there are **6 programmed** lamination modes available for foil: 75 µm, 100 µm, 125 µm, 150 µm, 175 µm and 250 µm. The maximum thickness of the document including the foil is 0.6 mm.

Parameters

Brand	OPUS
Maximum laminating format	A3
Maximum laminating speed	1500 mm/min
Maximum foil thickness	250 µm
Maximum document thickness (including film)	0.6 mm
Warm-up time	1 min
Speed quantity	6
Rollers quantity	6
Type of rollers	common
Heating system	hot rollers
Power	1,700 W
Cold lamination	yes
Sound signals	yes
Light signals	yes
Microprocessor-controlled device	yes
Tryb "Standby" ⓘ	yes
Reverse	yes

Net weight	6.7 kg
Gross weight	7.7 kg
Height	127 mm
Width	480 mm
Depth	203 mm
Device warranty	2 years
For the format	Up to A3 format
Laminator feature	Hot lamination, Cold lamination
Responsible manufacturer	OPUS Sp. z o. o. Polska 44-122 Gliwice Toruńska 8 info

Gallery



Find a product on:

<https://en.opus.pl/laminator-opus-autolam-a3>