

Office laminator

Laminator - OPUS quickLAM A3

Catalogue number: 404209



Description

QUICKLAM A3 - FAST LAMINATING IN THE OFFICE AND AT HOME

The QuickLAM A3 is a fast office laminator capable to laminate an A4 sheet just within some 10 seconds! This device handles materials of various sizes; you may easily laminate sheets of A3 format and smaller. Due to the "hot rollers" technology applied in the machine the highest quality of laminating can be achieved, and the laminate remains durable and ideally smooth; you may successfully use foils of thickness of 80 to 250 µm. Moreover, the laminator is equipped with a clear control panel allowing for intuitive operating of the device. The QuickLAM A3 is a great option for home and office, as it gives a wide variety of possibilities when it comes to use of various types of foils and diversity of coated materials. Laminate certificates, invoices, important documents, brochures, photos, posters or greeting cards to preserve the paper life for years!

LAMINATION RATE UP TO 1100 MM/MIN

High lamination rate means a significant time saving and smooth everyday operation – the QuickLAM A3 ensures both of these benefits. The lamination speed of up to 1100 mm/min allows documents to be laminated within a few seconds. Moreover, the device warms up very fast: depending on the selected foil thickness, the laminator may be ready for operation just after 12 seconds from switching it on!

TOP LAMINATION QUALITY DUE TO "HOT ROLLERS" TECHNOLOGY

The laminator is equipped with 6 hot rollers to press the foil evenly and flatten out its layers. The product of lamination performed in such a way is an accurately and lastingly coated document. The film remains immaculately smooth, there are no air bubbles and folding does not occur. For this model of laminator the maximum film thickness is 250 μ m, whereas the maximum thickness of the film together with the document should not exceed 0,75 mm.

INTUITIVE OPERATION AND FAST CYJNA OBSŁUGA I SZYBKIE WYCOFYWANIE

The QuickLAM A3 is easy and intuitive in operation: use of the device does not require precise adjustment of many parameters so that anyone may operate the laminator. Just select the button suitable for the thickness of film used, insert the document with foil sheets into the laminator's feeding slot and... done! You can also easily retract the document from the slot in the case of jam or incorrect insertion; just press the **retraction** button and the laminated document will slip out of the slot.

THE ADVANTAGES OF THE OUICKLAM A3 LAMINATOR

- lamination rate of up to 1100 mm/min
- designated for A3 format or smaller
- applicable foils of thickness of 80 to 250 μm
- 6 laminating rolls used in the device
- high efficiency
- 5 predefined setups suitable to films of various thicknesses
- clear control panel
- ease operation of the device
- · top lamination quality and attractive appearance of documents
- · increase of the paper colour fastness
- model designated for office and home use

LAMINATE PAPERS - OBTAIN FLAWLESS DOCUMENTS!

Paper lamination will allow you to **protect documents** against stains and creases **in aesthetic and** durable way. Make the appearance and durability of your documents to become your trade mark!

Parameters

Brand	OPUS
Maximum laminating format	A3
Maximum laminating speed	1100 mm/min
Maximum foil thickness	250 μm
Maximum document thickess (including film)	0.75 mm
Warm-up time	3 min
Rollers quantity	6
Power	1,400 W
Cold lamination	no
Sound signals	yes
Light signals	yes
Microprocessor-controlled device	yes
Tryb "Standby" ①	yes
Reverse	yes
Net weight	5.3 kg
Gross weight	6.68 kg
Height	120 mm
Width	510 mm
Depth	174 mm
Device warranty	2 years
For the format	Up to A3 format
Laminator feature	Hot lamination, Quick start
Responsible manufacturer	OPUS Sp. z o. o. Polska 44-122 Gliwice Toruńska 8 info

Gallery





Find a product on:

https://en.opus.pl/laminator-opus-quicklam-a3