



OPUS Sp. z o. o.
ul. Toruńska 8, 44-122 Gliwice

+48 32 420 11 11
kontakt@opus.pl
opus.pl

Professional guillotine

Electric-hydraulic guillotine - IDEAL THE 56 LT

Catalogue number: 000243

Profesjonalna i wyjątkowo bezpieczna gilotyna z hydraulicznym dociskiem, łatwym w obsłudze profesjonalnym panelem dotykowym oraz z "kurtyną bezpieczeństwa" zapewnioną przez wyjątkowo czułe fotokomórki pracujące w podczerwieni.



Description







IDEAL THE 56 LT - a new generation electric guillotine with hydraulic pressure

Designed for optimal, maximum efficiency, and always safe operation, it's the ideal solution for printing houses, small print shops, advertising agencies, offices, digital printing houses, copy shops, and anywhere else requiring fast and precise cutting. IDEAL, established in 1951, is synonymous with reliability and the highest quality.

Effortless positioning thanks to the air table.

The innovative air table makes it much easier to position and move stacks of paper. Air is blown through small openings in the table top, creating an air cushion that minimizes the frictional resistance between the stack of paper and the table surface. This means that even large quantities of paper can be handled effortlessly and comfortably.




Intuitive operation guaranteed.

The functional graphical user interface enables intuitive control - as easy as on a tablet. The clear main screen with intelligent display ensures maximum user-friendliness. The swivel display can be ergonomically adjusted to suit body size and lighting conditions.

Precision and safety in a double pack.

EASY-TOUCH - two-hand blade activating for maximum convenience and safety. Intuitively operated buttons with integrated, illuminated operating status display ensure simple and reliable handling.



Precision that shines.

The optical cutting indicator with bright LEDs projects the exact cutting line onto the material, enabling precise cutting according to cutting markings. This function ensures maximum accuracy and efficiency with every cut.

Maximum adaptation to the needs of the paper guillotine (cutter) operator

Adjustable table height, integrated cutter bar replacement function, operator guidance using color signals – many ergonomic functions needed in everyday work.







THE new, even better series

- 40% faster clamping and cutting
- 50% higher maximum clamping pressure
- 100% faster backgauge
- PIN code restricted access

Parameters

Guillotine purpose	for professional use
Brand	IDEAL
Cutting length	560 mm
Maximum cutting thickness	80 mm
Narrow cut	15 / 60 mm
Table depth	560 mm
Cutting knife work type	electromechanical
Clamp drive	hydraulic
Cutting knife power	2300 W
Clamp drive power	not applicable
Backgauge power	100 W
Net weight	310 kg
Gross weight	397 kg
Height	1523 mm
Width	979 mm
Depth	1211 mm
Device warranty	2 years
Delivery and installation at the customer's premises	Ask a salesperson
Other device parameters	electrically operated backgauge control, infinitely dimmable, switchable optical cutting line with luminous LEDs, control panel with programmer and multi-touch display, automatic hydraulic clamp drive, precisely adjustable pressure force via the control panel, air nozzles for easy carrying large stacks of paper, IR light beam safety curtain

Gallery



Find a product on:

<https://en.opus.pl/electric-hydraulic-guillotine-ideal-the-56-lt>