



OPUS Sp. z o. o.
ul. Toruńska 8, 44-122 Gliwice

+48 32 420 11 11
kontakt@opus.pl
opus.pl

Professional laminator

Laminator - OPUS profilAM A2

Catalogue number: 400232

Professional fast A2 laminator with special hot 6 roller technology.

Parameters

Brand	OPUS
Maximum laminating format	A2
Maximum laminating speed	550 mm/min
Maximum foil thickness	250 µm
Maximum document thickness (including film)	3 mm
Warm-up time	8 min
Temperature range	0-160°C



Description



ProfiLAM A2

Professional fast A2 laminator with special hot 6 roller technology, LCD display control panel, designed for intensive use. Preheating time 8 minutes, reverse function, temperature up to 160°C.

Parameters

Brand	OPUS
Maximum laminating format	A2
Maximum laminating speed	550 mm/min
Maximum foil thickness	250 µm
Maximum document thickness (including film)	3 mm
Warm-up time	8 min
Temperature range	0-160°C
Speed quantity	5
Rollers quantity	6
Type of rollers	cushioned
Heating system	hot rollers
Power	1200 W
Cold lamination	yes
Sound signals	yes
Light signals	yes
Microprocessor-controlled device	yes
Tryb "Standby" ⓘ	yes
Reverse	yes
Net weight	22 kg
Gross weight	23 kg
Height	145 mm
Width	714 mm
Depth	303 mm

Device warranty	2 years
For the format	Up to A2 format, Up to A4 format, Up to A3 format
Laminator feature	Hot lamination, Cold lamination

Gallery



Find a product on:

<https://en.opus.pl/laminator-opus-profilam-a2>